



YOWIE

CHANGE ROOM ANNEX

USER MANUAL



Congratulations on the purchase of 23ZERO's Yowie Change Room Annex. The Change Room Annex attaches directly to a Yowie roof top tent. The annexes are available in 2 sizes, 1600 & FJ00 each made to fit corresponding 23ZERO Yowie tents.

PLEASE FOLLOW THESE INSTRUCTIONS FOR CORRECT INSTALLATION

PACKAGE CONTENTS

- 1x Polyester Change room annex
- 1 x PVC annex floor (not attached to annex)
- 2 x telescopic poles with carry bag
- pegs, guy ropes & peg bag
- Pack up strap



- Set up Yowie Roof top tent.
- Ensure nobody is inside tent, retract ladder and retain with ladder strap - Fig.1
- Identify Kedar ropes & attaching zips on Annex and layout under Yowie tent - Fig 2

NOTE: On First use PVC floor is not attached to annex.

Fig.1



Fig.2




- Locate Kedar rope on back side of opening - Fig.3
- Locate rope tracks on underside of Yowie tent - Fig 4

Fig.3



Fig.4



- Slide Kedar rope all the way through into the rear Yowie rope track - Fig 5,6
- Locate both left and right zips under the tent skirt. Engage the zip pull start on the change room annex to zip on tent skirt and zip through - Fig 7
- Repeat on other side- Fig 8

Fig.5



Fig.6



Fig.7



Fig.8



Fig.9

**IMPORTANT::**

Depending on vehicle height, roof top tent ladder may be required to complete the following step.

Set up ladder as per roof top tent instructions before climbing.

- Continue to zip along and over up the tent canopy whilst securing the annex to relieve tension as you go - Fig 10,11,12

Fig.10



Fig.11



Fig.12



- Attach PVC floor via zip if desired and anchor annex corners with pegs supplied - Fig 12


NOTE: Retract ladder and secure with retaining strap to avoid ladder interference while attaching floor.

- Fully erect enclosed segmented poles
- Locate the two roof eyelets within the annex located on either side of annex entry (Fig 13), insert the spigot end of pole through the eyelet (Fig 14)
- Repeat other side. Adjust telescopic poles to taut annex - Fig 15

Fig.13



Fig.14



- Complete set up by attaching guide ropes over the spigot end and peg adequately at a approximate 45 degree angle - Fig 16

Fig.15



Fig.16



Set up Complete



Pack up / Folding



2 Year Warranty

23ZERO will replace or repair any product at its discretion that is subject to faulty manufacturing or workmanship including materials.

Exclusions

The above warranty is limited to manufacturing and materials defects. Not including damage caused by misuse or abuse, wear and tear, condensation, extreme weather, accidents, incorrect set up, damage caused by mould, insects, animals or children. This also excludes broken poles and damage caused by a jammed, snagged zipper or excessive force applied to zipper causing failure.

Consumer rights

Our goods come with guarantees that cannot be excluded under Australian law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

* Due to our policy of continual product development, the specifications, colours and features may vary.

Making a claim

To make a claim in relation to the above manufacturers warranty please ensure you retain your sales receipt of purchase. Please contact us via email at **service@23zero.com.au** stating the nature of your claim and we will be in touch with you in a timely manner. If you require additional assistance, please phone 03 9547 4691 to discuss and arrange your claim. Product subject to warranty will be sent to 23ZERO Australia, 32b Eileen Rd. Clayton South, Victoria 3169. All freight costs associated with return of product for assessment is payable by consumer.

