



PANTHER

CHANGE ROOM ANNEX

USER MANUAL



Congratulations on the purchase of 23ZERO's PANTHER Change Room Annex. The Change Room Annex attaches directly to a Panther roof top tent. The annexes are available in 2 sizes, 1600 & 2000 each made to fit corresponding 23ZERO Panther tents.

PLEASE FOLLOW THESE INSTRUCTIONS FOR CORRECT INSTALLATION

PACKAGE CONTENTS

- 1x Polyester Change room annex
- 1 x PVC annex floor (not attached to annex)
- 2 x telescopic poles with carry bag
- pegs, guy ropes & peg bag
- Pack up strap



- Set up Panther Roof top tent.
- Ensure nobody is inside tent, retract ladder and retain with ladder strap - Fig.1
- Identify Kedar ropes & attaching zips on Annex and layout under Panther tent - Fig 2

NOTE: On first use PVC floor is not attached to annex.

Fig.1



Fig.2



- Locate Kedar rope on 2 sides of opening - Fig.3
- Locate rope tracks on underside of Panther tent - Fig 4

Fig.3



Fig.4



- Begin sliding kedar rope into Panther rope track - Fig 5. Only slide in 150mm at first - Fig 6
- Slide Kedar rope on opposite side of annex into other rope track on other side of Panther baseboard - Fig 7
- Continue this alternating from one side to the other until all Kedar rope is attached - Fig 8

Fig.5



Fig.6



Fig.7



Fig.8





IMPORTANT::

Depending on vehicle height, roof top tent ladder may be required to complete the following step.
Set up ladder as per roof top tent instructions before climbing.

- Locate zip slide on annex and attach to zip on Panther tent canopy - Fig 9
- Lift annex to relieve weight from zip and continue zipping with opposite hand - Fig 10

Fig.9



Fig.10



- Once zipped, annex will look like this - Fig 11
- Attach PVC floor via zip if desired and anchor annex corners with pegs supplied - Fig 12

NOTE: Retract ladder and secure with retaining strap to avoid ladder interference while attaching floor.

Fig.11



Fig.12



- Extend telescopic poles to approx baseboard height and twist to lock
- Locate eyelets on annex roof beside each side of entry door and insert pole spigot.- Fig 13
- Repeat other side. Adjust telescopic poles to taut annex- Fig 14

Fig.13



Fig.14



- Attach guy ropes to external rings beside each pole spigot and anchor adequately with pegs supplied - Fig 15
- Complete setup by attaching touch tape tabs from canopy to annex both sides - Fig 16

Fig.15



Fig16



Set up Complete



Pack up / Folding



2 Year Warranty

23ZERO will replace or repair any product at its discretion that is subject to faulty manufacturing or workmanship including materials.

Exclusions

The above warranty is limited to manufacturing and materials defects. Not including damage caused by misuse or abuse, wear and tear, condensation, extreme weather, accidents, incorrect set up, damage caused by mould, insects, animals or children. This also excludes broken poles and damage caused by a jammed, snagged zipper or excessive force applied to zipper causing failure.

Consumer rights

Our goods come with guarantees that cannot be excluded under Australian law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

* Due to our policy of continual product development, the specifications, colours and features may vary.

Making a claim

To make a claim in relation to the above manufacturers warranty please ensure you retain your sales receipt of purchase. Please contact us via email at service@23zero.com.au stating the nature of your claim and we will be in touch with you in a timely manner. If you require additional assistance, please phone 03 9547 4691 to discuss and arrange your claim. Product subject to warranty will be sent to 23ZERO Australia, 32b Eileen Rd. Clayton South, Victoria 3169. All freight costs associated with return of product for assessment is payable by consumer.

